

URBAN
SURFACES



AXON
PERFORMANCE WOVEN FLOORING



33
CLASS

ONE SURFACE. ENDLESS POSSIBILITIES.

AXON Performance Woven Flooring is a premium woven vinyl surface with PVC and fiberglass backing that brings depth, texture, and dimensional light play to commercial interiors and exterior spaces.

Its waterproof, slip-resistant construction is designed for gyms, amenity spaces, hospitality environments, corridors, balconies, breezeways, and terraces. Sanitized® protection is infused into the fibers and backing to help defend against odor and microbial growth.



Available Formats:

Square: 19.69" W x 19.69" H x 3mm

Plank: 9.75" W x 29.5" H x 3mm




Shades of Grey
Square S210
Plank P210



Salt & Pepper
Square S212
Plank P212




Aged Parchment
Square S213
Plank P213



Blue Sapphire
Square S217
Plank P217



Midnight Sky
Square S219
Plank P219



BUILT-IN PROTECTION, WOVEN INTO EVERY FIBER



Before AXON is woven into its distinctive floor designs, each vinyl fiber is treated with Sanitized® protection to help defend against odor and microbial growth.

Sanitized® technology brings over 85 years of experience in protection against bacteria, mildew, mold, algae, and other unwanted microbes. By infusing that protection into the fibers and backing material, AXON starts with lasting defense from the inside out.

✓ BUILT-IN MICROBIAL DEFENSE

✓ MATERIAL PROTECTION

✓ ANTIVIRAL PERFORMANCE



DURABLE COATING
& EASY TO CLEAN



INDOOR & OUTDOOR
APPLICATION



WATERPROOF
& WORRY FREE



CUSTOMIZABLE
& UNLIMITED DESIGNS

Exactly What Your Project Needs



PRISM GRABS FAST AND HOLDS FIRM

The aggressive tack and fast grab of Prism™ will hold flooring tightly. With superior plasticizer migration resistance and elastomeric properties, Prism™ is the right choice for residential flooring.

EVERLAST IS TRUE TO ITS NAME

Everlast is here to stay with its heavy-duty, hard-set bond that handles both light-traffic and commercial applications with heavy rolling loads.

BEST CHOICE FOR INDOOR INSTALLATION



ONE STEP TO TOTAL PROTECTION WITH OMNI

Get started immediately. Omni™ has zero flash time and lets you skip the RH, pH, and MVER testing to save valuable time on your project.

BEST CHOICE FOR OUTDOOR INSTALLATION

(Can also be used for indoor installation)



**100% MOISTURE
PROTECTION**

DESIGNED TO IMPRESS. ENGINEERED TO ENDURE.



Specifications	Twill Plank	Twill Square
Product Type	Woven Vinyl	Woven Vinyl
Core Material	Virgin Vinyl	Virgin Vinyl
Fiberglass Reinforced	FiberMax	FiberMax
Classification	Class 33	Class 33
Construction	Dobby Woven Luxury Vinyl Textile	Dobby Woven Luxury Vinyl Textile
Overall Thickness	3mm (0.12")	3mm (0.12")
Nominal Plank Size	9.75" x 29.5"	19.69" x 19.69"
Actual Plank Size	250mm x 750mm	500mm x 500mm
Coating	Sanitized Protection	Sanitized Protection

Testing

ASTM D6962 - German Roll Chair	Passes
ASTM D5252 - Hexapod (Heavy)	Passes
ASTM D3884 - Abrasion Resistance	34,000 Cycles
ASTM D3936 - Delamination Strength	No Delamination
ASTM F970 - Static Load / Recovery	0.006
ASTM C1028 - Static Coefficient of Friction	Passes
ASTM E648 - Critical Radiant Flux	Passes
ASTM E84 - Surface Burning	Class C
ASTM E662 - Smoke Density (Flaming)	Passes
FMVSS 302 - Flammability (Burn Rate)	Passes
ASTM F1514 - Heat Stability (Color Change)	Passes
ASTM F1515 - Light Stability (Color Change)	Passes
AATCC 134 - Electrostatic Propensity	Passes
ASTM C518 - Thermal Resistance (R-Value)	R-Value 0.202
ASTM F925 - Chemical Resistance	Passes
ASTM G21 - Fungal Resistance	Passes
CPSC-CH-C1001-09.4 - Phthalates (per ASTM F3414 scope)	Passes
CPSC-CH-E1002-08.3 - Heavy Metals (per ASTM F963 §8.3)	Passes
ASTM D6007 - Formaldehyde	Passes

Warranty

Indoor	15 Years
Outdoor	5 Years



800.492.8722
Sales@UrbanSurfaces.com
Designed and Developed in the USA