
URBAN
SURFACES
SOUND-TEC
20MIL SPC FLOORING
20
MIL



Boardwalk
9503



Twilight
9505



Dakota Way
9509



Monterey
9510



Caspian Heights
9520



Astoria
9521



Cambridge
9523



West Broadway
9524



Midland Grey
9525



Charlton Plaza
9526



Sixth Avenue
9527




Courtland Alley
9528

Signature DESIGN

Urban Surfaces' Signature Collection features our most sought-after flooring designs, carefully selected from across our diverse lines. Choosing from the Signature Collection means investing in flooring that has proven its timeless appeal—not only through unmatched durability but also enduring style.



Avondale
9529



Fairbanks
9534



Alamo
9538




Cheyenne
9553



Navajo
9563



Yosemite
9599



EXACT-MATCH MOLDINGS

We are proud to provide robustly built, exact-match moldings and stair-finishing options for all of our Floating Floor lines. While other manufacturers only offer "coordinated" colors, our moldings blend perfectly.

YOU DIDN'T HEAR IT FROM US


69	75	64	24	28	61
HIIC	LIIC	IIC	ΔIIC	ΔHIIC	STC


Urban Surfaces is at the cutting edge of noise-reduction technology in multi-unit spaces. With scores like these, noise complaints will be a thing of the past.

Proudly Partnered With Westside acoustics

FLOOR SILENCER UNDERLAYMENTS

For even better scores, choose one of our innovative FloorSilencer underlayments.





WATERPROOF FLOORS WITH UNPARALLELED NOISE REDUCTION

SOUND-TEC
20MIL SPC FLOORING

Specifications	Floating Floor
Product Type	**Stone Polymer Composite**
Core Material	**4.5mm High-Density Solid Core**
Wear Layer	**20mil ScratchGuard**
Embossing	**Natural Wood Texture**
Edge Profile	**Beveled Edge**
Overall Thickness	**6mm (0.236")**
Nominal Plank Size	**7" x 48"**
Actual Plank Size	**182mm x 1220mm**
Surface Protection	**Antimicrobial & Ceramic Bead**
Attached Pad	**1.5mm Sound-Reducing & Antimicrobial Pad**
Clip System	**Angle-Drop Clip System**
Bacteria Resistance	**Bioshield Coat**

Testing

Slip Resistance ASTM D2047	**>0.67 (Dry)**
Static Loading ASTM F970	**2,000 PSI | .011"**
Radiant Flux ASTM E648	**Class 1**
Smoke Density ASTM E662	**Passes**
Light Resistance ASTM F1515	**Passes**
Heat Resistance ASTM F1514	**Passes**
Chemical Resistance ASTM F925	**Passes**
Phthalates ASTM F3414 - 20 (CPSC)	**Passes**
Heavy Metals ASTM F963	**Passes**
Formaldehyde ASTM D6007	**Passes**
Floor Score Certified California 01350	**Passes**
Lead Scorecard EQ 4.3 Low-Emitting Materials	**1 Point**

Warranty

Residential	**Lifetime**
Light Commercial	**20 Years**
Heavy Commercial	**15 Years**

FOR MORE SOUND-TEC IMAGES AND INFO

800.492.8722
Sales@UrbanSurfaces.com
Designed and Developed in the USA